


EXCITING NEW

BRIDGESTONE 90 *Sport*



FOR YOU!
ENJOY YOUR LEISURE WITH THIS POWERFUL SPEEDY MACHINE



All the famous **New BRIDGESTONE 90 Sport**
features of speed, styling and performance.
Just look at these features!



for high speed and performance from the 88cc, rotary disc valve, air cooled 2-stroke sturdy engine with aluminum cylinder.



for quick acceleration.



for unique kicking system for quick and easy starting in any gear position, even in 2nd or 3rd.



economical fuel consumption of 75 km/l (176.4 m.p.g.) at a speed of 30 km/h (18.8 m.p.h.).



strong and well cushioned suspension, telescopic front fork with oil damper, swing arm rear with coiled spring and oil damper.



for beautiful stream lined backbone frame.



for easy control by 4-speed transmission gear, left-foot operated, combined with the clutch lever.



for silent engine.

Economical, light, easy to ride and exhilarating speed.....the world's most exciting lightweight.....it's a new BRIDGESTONE 90 sport. See and try it at your dealer's NOW!



BRIDGESTONE TIRE CO., LTD.

TOKYO JAPAN

SPECIFICATION AND PERFORMANCE DATA OF BS90SP

ENGINE :

Type	2 stroke, single cylinder (aluminum)
Piston displacement	83 cc (5.39 cubic inches)
Compression ratio	10.2:1
Max. horse power	8.8 HP/8,000 r.p.m.
Max. torque	0.85 kg-m/6,000 r.p.m.
Air intake system	Rotary disc valve
Starting system	Primary kick start
Ignition system	Flywheel magneto

PERFORMANCE :

Max. speed	105 km/h (65 m.p.h.)
Climbing gradient	1 in 3
Fuel consumption	75 km/l (176.4 m.p.g.)
Min. turning radius	1.8 m (5.9 feet)
Acceleration	Under 12 sec. (standing start 0-200 m)
Braking distance	Under 6 m at 35 km/h (20 feet at 22 m.p.h.)

TRANSMISSION :

Clutch	Manual, multiple disc in oil bath, hand operated
Transmission	4-speed constant mesh gear, seesaw type
Fuel tank capacity	8.5 l (2.2 gallons) with 1.5 l (0.4 gallon) reserve

DIMENSION & WEIGHT :

Overall length	1,830 mm (72.0 inches)
Overall height	660 mm (26.0 inches)
Overall width	970 (38.2 inches)
Wheel base	1,160 mm (45.7 inches)
Road clearance	150 mm (5.9 inches)
Weight	79 kg (173.8 pounds)